

2006 kia spectra owners manual





Lift it off the arm. Install the blade assembly in the the plastic locking clip. Page Maintenance Battery recharging Items to be reset after the battery has been discharged or the bat- Your vehicle has a maintenance-free, tery has been disconnected. When recharging the battery, al accessories and stop the engine. Severe underinflation 70 kPa Kia Dealer. Page Maintenance Continued Tire rotation Do not include compact spare tire in rotation. Page However, if you notice unusual tire new Kia and should be mounted on wear or your vehicle pulling one way youtube juice box 88 mustang gt 2004 hyundai santa fe rear brakes

the same compact spare tire wheel. Page Tire Label or then replace the two front or light aim and bumper height. J - Rim contour designation. Page Sustained high temperature can The tires available as standard or ture performance. Page Maintenance When choosing an oil, consider the range of temperature your vehicle will be operated in before the next oil change. Proceed to select the recommended oil viscosity from the chart. Page Maintenance Aluminum wheel maintenance The aluminum wheels are coated with a clear protective finish. They may scratch or damage the finish. Please check with an authorized Kia dealer for more precise and more up-to-date information. Dimensions mm in Item 4 Door 5 Door Overall length 4, Page Index Page Exterior Overview Index Engine oil and oil filter Page Index Label information Page Index Vehicle break-in process Print page 1 Print document pages. Cancel Delete. Sign In OR. Don't have an account? Sign up! Restore password. Upload from disk. Upload from URL.